## EnggTree.com

Reg. No.: E N G G T R E E . C O M

Question Paper Code: 70138

B.E./B.Tech. DEGREE EXAMINATIONS, NOVEMBER/DECEMBER 2022.

For More Visit our Website EnggTree.com Third Semester

Mechanical Engineering

MA 3351 - TRANSFORMS AND PARTIAL DIFFERENTIAL EQUATIONS

(Common to Aeronautical Engineering/Aerospace Engineering/
Automobile Engineering/Biomedical Engineering/
Civil Engineering/Manufacturing Engineering/Marine Engineering/
Materials Science and Engineering/Mechanical Engineering (Sandwich)/
Mechanical and Automation Engineering/Mechatronics Engineering/
Medical Electronics/ Petrochemical Engineering/Production Engineering/
Robotics and Automation/Safety and Fire Engineering/Bio Technology/
Biotechnology and Biochemical Engineering/Food Technology/
Petrochemical Technology/ Petroleum Engineering/Pharmaceutical Technology)

(Regulations 2021)

Time: Three hours

Maximum: 100 marks

Answer ALL questions.

PART A 
$$-(10 \times 2 = 20 \text{ marks})$$

- 1. Find the complete solution of the PDE  $p^2 + q^2 = 4pq$ .
- 2. Find the complementary function of the PDE  $(D^3 3DD'^2 + 2D'^3)z = e^{2x-y}$ .
- 3. Identify the given f(x) is an even or odd function. Also sketch its graph.

$$f(x) = \begin{cases} \pi + x & -\pi \le x \le -\frac{\pi}{2} \\ -x & -\frac{\pi}{2} \le x \le 0 \\ x & 0 \le x \le \frac{\pi}{2} \\ \pi - x & \frac{\pi}{2} \le x \le \pi \end{cases}$$

State Parseval's identity in Fourier series.

## EnggTree.com

- 5. Write down the appropriate solution of the one dimensional heat flow equation. How is it chosen?
- The ends A and B of a rod 30 cm long, have their temperature kept at 10°C and 100°C respectively. Then obtain the steady state temperature.
- 7. What are the sufficient conditions for the existence of Fourier transform of a function f(x)?
- 8. Obtain the Fourier cosine transform of  $\frac{1}{2^t}$ .
- 9. Find the inverse Z transform of  $\frac{z}{(z-1)^2}$ .
- 10. State final value theorem in Z transform.

PART B - (5 × 16 = 80 marks)

11. (a) (i) Solve: 
$$(x-2z)p + (2z-y)q = y-x$$
. (8)

(ii) Solve: 
$$(D^3 + D^2D' - 4DD'^2 - 4D'^3)z = \cos(2x + y)$$
. (8)

Or

(b) (i) Solve the PDE 
$$2z + p^2 + qy + 2y^2 = 0$$
. (8)

(ii) Solve 
$$(D^2 + 2DD' + D'^2 - 2D - 2D')z = \sin(x + 2y)$$
. (8)

- 12. (a) (i) Obtain the Fourier series of periodicity  $2\pi$  for  $f(x) = e^x$  in the interval  $0 < x < 2\pi$ . (8)
  - (ii) Obtain the half range Fourier cosine series of f(x) = x(l-x) in (8)

Or

(b) The following table gives the variations of periodic current over a period.

t sec: 0 T/6 T/3 T/2 2T/3 5T/6 T A amp: 1.98 1.30 1.05 1.30 -0.88 -0.25 1.98

Show that there is a direct current part of 0.75 amp in the variable current and obtain the amplitude of the first harmonic. (Harmonic Analysis).

70138

## EnggTree.com

A tightly stretched string of length 21 is fastened at both ends. The 13. midpoint of the string is displaced by a distance 'b' transversely and the string is released from rest in this position. Find the displacement y at any distance x from one end at any time t.

Or

- An infinitely long metal plate in the form of an area is enclosed between (b) the lines y = 0 and  $y = \pi$  for positive values of x. The temperature is zero along the edges y = 0 and  $y = \pi$  and the edge at infinity. If the edge x = 0 is kept at temperature 'ky', find the steady state temperature at any point in the plate.
- (i) Find the Fourier transform of f(x) given by  $f(x) = \begin{cases} 1, & \text{for } |x| \le a \\ 0, & \text{for } |x| > a \end{cases}$  (8)
  - (ii) Find the Fourier sine transform of  $f(x) = e^{-\alpha x}$ , a > 0 and hence find

Or

- Using Parseval's identity for Fourier transforms, evaluate
  - $\int_{0}^{\infty} \frac{ds}{(a^{2}+s^{2})(b^{2}+s^{2})}.$ www.EnggTree.com
    Find the Fourier cosine transform of  $f(x) = \begin{cases} x & ; \ 0 < x < 1 \\ 2-x & ; \ 1 < x < 2 \\ 0 & ; \ x > 2 \end{cases}$ (ii)
- (a) Using Z transform, solve the difference equation  $u_{n+2} + 4u_{n+1} + 3u_n = 3^n$ 15. with  $u_0 = 0$ ,  $u_1 = 1$ . (16)

Or

State and prove convolution theorem in Z transforms and use it to find  $Z^{-1}\left\{\frac{z^2}{(z-a)(z-b)}\right\}$ . (16)